

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**
 Distribution: **4986**
 Dispatch date: **30-08-2021**
 Return results: **20-09-2021**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:6657](#) [Spec:6658](#) [Spec:6659](#) [Spec:6660](#) [Spec:6661](#) [Spec:6662](#) [Final Page](#) [Blank form](#)

| | |
|---------------------------------|--|
| | Specimen : 6657 |
| HBsAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 1 | |
| HBsAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 2 | |
| HBsAg kit 3 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 3 | |
| . | |
| Anti-HBc report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 1 | |
| Anti-HBc kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 2 | |
| . | |
| Anti-HBc IgM report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM kit | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM Test Reading kit 1 | |
| . | |
| HBeAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 1 | |
| HBeAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 2 | |
| . | |
| Anti-HBe report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 1 | |
| Anti-HBe kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 2 | |

[Reset Specimen 6657](#)
[Save Specimen 6657](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**
 Distribution: **4986**
 Dispatch date: **30-08-2021**
 Return results: **20-09-2021**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:6657](#) [Spec:6658](#) [Spec:6659](#) [Spec:6660](#) [Spec:6661](#) [Spec:6662](#) [Final Page](#) [Blank form](#)

| | |
|---------------------------------|--|
| | Specimen : 6658 |
| HBsAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 1 | |
| HBsAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 2 | |
| HBsAg kit 3 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 3 | |
| . | |
| Anti-HBc report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 1 | |
| Anti-HBc kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 2 | |
| . | |
| Anti-HBc IgM report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM kit | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM Test Reading kit 1 | |
| . | |
| HBeAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 1 | |
| HBeAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 2 | |
| . | |
| Anti-HBe report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 1 | |
| Anti-HBe kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 2 | |

[Reset Specimen 6658](#)
[Save Specimen 6658](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**
 Distribution: **4986**
 Dispatch date: **30-08-2021**
 Return results: **20-09-2021**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:6657](#) [Spec:6658](#) [Spec:6659](#) [Spec:6660](#) [Spec:6661](#) [Spec:6662](#) [Final Page](#) [Blank form](#)

| | |
|---------------------------------|--|
| | Specimen : 6659 |
| HBsAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 1 | |
| HBsAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 2 | |
| HBsAg kit 3 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 3 | |
| . | |
| Anti-HBc report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 1 | |
| Anti-HBc kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 2 | |
| . | |
| Anti-HBc IgM report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM kit | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM Test Reading kit 1 | |
| . | |
| HBeAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 1 | |
| HBeAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 2 | |
| . | |
| Anti-HBe report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 1 | |
| Anti-HBe kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 2 | |

[Reset Specimen 6659](#)
[Save Specimen 6659](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**
 Distribution: **4986**
 Dispatch date: **30-08-2021**
 Return results: **20-09-2021**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:6657](#) [Spec:6658](#) [Spec:6659](#) [Spec:6660](#) [Spec:6661](#) [Spec:6662](#) [Final Page](#) [Blank form](#)

| | Specimen : 6660 |
|---------------------------------|--|
| HBsAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 1 | |
| HBsAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 2 | |
| HBsAg kit 3 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 3 | |
| . | |
| Anti-HBc report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 1 | |
| Anti-HBc kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 2 | |
| . | |
| Anti-HBc IgM report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM kit | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM Test Reading kit 1 | |
| . | |
| HBeAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 1 | |
| HBeAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 2 | |
| . | |
| Anti-HBe report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 1 | |
| Anti-HBe kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 2 | |

[Reset Specimen 6660](#)
[Save Specimen 6660](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**
 Distribution: **4986**
 Dispatch date: **30-08-2021**
 Return results: **20-09-2021**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:6657](#) [Spec:6658](#) [Spec:6659](#) [Spec:6660](#) [Spec:6661](#) [Spec:6662](#) [Final Page](#) [Blank form](#)

| | |
|---------------------------------|--|
| | Specimen : 6661 |
| HBsAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 1 | |
| HBsAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 2 | |
| HBsAg kit 3 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 3 | |
| . | |
| Anti-HBc report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 1 | |
| Anti-HBc kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 2 | |
| . | |
| Anti-HBc IgM report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM kit | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM Test Reading kit 1 | |
| . | |
| HBeAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 1 | |
| HBeAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 2 | |
| . | |
| Anti-HBe report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 1 | |
| Anti-HBe kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 2 | |

[Reset Specimen 6661](#)
[Save Specimen 6661](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**
 Distribution: **4986**
 Dispatch date: **30-08-2021**
 Return results: **20-09-2021**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:6657](#) [Spec:6658](#) [Spec:6659](#) [Spec:6660](#) [Spec:6661](#) [Spec:6662](#) [Final Page](#) [Blank form](#)

| | |
|---------------------------------|--|
| | Specimen : 6662 |
| HBsAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 1 | |
| HBsAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 2 | |
| HBsAg kit 3 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBsAg Test Reading kit 3 | |
| . | |
| Anti-HBc report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 1 | |
| Anti-HBc kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc Test Reading kit 2 | |
| . | |
| Anti-HBc IgM report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM kit | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBc IgM Test Reading kit 1 | |
| . | |
| HBeAg report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 1 | |
| HBeAg kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| HBeAg Test Reading kit 2 | |
| . | |
| Anti-HBe report | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe kit 1 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 1 | |
| Anti-HBe kit 2 | <input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative |
| Anti-HBe Test Reading kit 2 | |

[Reset Specimen 6662](#)
[Save Specimen 6662](#)