

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis C serology**

Distribution: **4359**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4616](#) [Spec:4617](#) [Spec:4618](#) [Spec:4619](#) [Spec:4620](#) [Spec:4621](#)

[Final Page](#) [Blank form](#)

	Specimen : 4616				
HCV Ag/Ab report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal/indeterminate	<input type="radio"/> Positive/reactive	
HCV Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading kit 1	<input type="text"/>				
HCV Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading Kit 2	<input type="text"/>				
HCV Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading for kit 3	<input type="text"/>				
.					
Anti-HCV line assay kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
c100	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c33	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c22	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
E2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS4	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS5	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
.					
HCV Ag report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag Test Reading	<input type="text"/>				fmo/L

[Reset Specimen 4616](#)

[Save Specimen 4616](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis C serology**

Distribution: **4359**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4616](#) [Spec:4617](#) [Spec:4618](#) [Spec:4619](#) [Spec:4620](#) [Spec:4621](#)

[Final Page](#) [Blank form](#)

	Specimen : 4617				
HCV Ag/Ab report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal/indeterminate	<input type="radio"/> Positive/reactive	
HCV Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading kit 1	<input type="text"/>				
HCV Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading Kit 2	<input type="text"/>				
HCV Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading for kit 3	<input type="text"/>				
.					
Anti-HCV line assay kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
c100	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c33	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c22	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
E2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS4	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS5	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
.					
HCV Ag report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag Test Reading	<input type="text"/>				fmo/L

[Reset Specimen 4617](#)

[Save Specimen 4617](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis C serology**

Distribution: **4359**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4616](#) [Spec:4617](#) [Spec:4618](#) [Spec:4619](#) [Spec:4620](#) [Spec:4621](#)

[Final Page](#) [Blank form](#)

	Specimen : 4618				
HCV Ag/Ab report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal/indeterminate	<input type="radio"/> Positive/reactive	
HCV Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading kit 1	<input type="text"/>				
HCV Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading Kit 2	<input type="text"/>				
HCV Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading for kit 3	<input type="text"/>				
.					
Anti-HCV line assay kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
c100	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c33	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c22	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
E2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS4	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS5	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
.					
HCV Ag report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag Test Reading	<input type="text"/>				fml/L

[Reset Specimen 4618](#)

[Save Specimen 4618](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis C serology**

Distribution: **4359**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4616](#) [Spec:4617](#) [Spec:4618](#) [Spec:4619](#) [Spec:4620](#) [Spec:4621](#)

[Final Page](#) [Blank form](#)

	Specimen : 4619				
HCV Ag/Ab report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal/indeterminate	<input type="radio"/> Positive/reactive	
HCV Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading kit 1	<input type="text"/>				
HCV Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading Kit 2	<input type="text"/>				
HCV Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading for kit 3	<input type="text"/>				
.					
Anti-HCV line assay kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
c100	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c33	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c22	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
E2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS4	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS5	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
.					
HCV Ag report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag Test Reading	<input type="text"/>				fmo/L

[Reset Specimen 4619](#)

[Save Specimen 4619](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis C serology**

Distribution: **4359**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4616](#) [Spec:4617](#) [Spec:4618](#) [Spec:4619](#) [Spec:4620](#) [Spec:4621](#)

[Final Page](#) [Blank form](#)

	Specimen : 4620				
HCV Ag/Ab report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal/indeterminate	<input type="radio"/> Positive/reactive	
HCV Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading kit 1	<input type="text"/>				
HCV Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading Kit 2	<input type="text"/>				
HCV Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading for kit 3	<input type="text"/>				
.					
Anti-HCV line assay kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
c100	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c33	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c22	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
E2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS4	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS5	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
.					
HCV Ag report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag Test Reading	<input type="text"/>				fmo/L

[Reset Specimen 4620](#)

[Save Specimen 4620](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis C serology**

Distribution: **4359**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4616](#) [Spec:4617](#) [Spec:4618](#) [Spec:4619](#) [Spec:4620](#) [Spec:4621](#)

[Final Page](#) [Blank form](#)

	Specimen : 4621				
HCV Ag/Ab report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal/indeterminate	<input type="radio"/> Positive/reactive	
HCV Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading kit 1	<input type="text"/>				
HCV Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading Kit 2	<input type="text"/>				
HCV Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag/Ab Test Reading for kit 3	<input type="text"/>				
.					
Anti-HCV line assay kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
c100	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c33	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
c22	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C1	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
C2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
E2	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS3	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS4	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
NS5	<input checked="" type="radio"/> Not Examined	<input type="radio"/> +	<input type="radio"/> +/-	<input type="radio"/> -	
.					
HCV Ag report	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag kit	<input checked="" type="radio"/> Not Examined	<input type="radio"/> Negative	<input type="radio"/> Equivocal	<input type="radio"/> Positive	
HCV Ag Test Reading	<input type="text"/>				fml/L

[Reset Specimen 4621](#)

[Save Specimen 4621](#)