

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for HIV serology**

Distribution: **4395**

Dispatch date: **19-11-2018**

Return results: **10-12-2018**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4727](#) [Spec:4728](#) [Spec:4729](#) [Spec:4730](#) [Spec:4731](#) [Spec:4732](#) [Final Page](#) [Blank form](#)

	<b>Specimen : 4727</b>
HIV 1/2 Ag/Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV 1/2 Ag/Ab negative
HIV 1/2 Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 1	<input type="text"/>
HIV 1/2 Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 2	<input type="text"/>
HIV 1/2 Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 3	<input type="text"/>
HIV line assay/western-blot kit (First kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
HIV line assay/western-blot kit (Second kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
ENV gp36	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp41/45	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp105	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp120/110	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp160	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p17/18	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p24/25	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p26	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p53/55	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p31/32/34	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p51/52/66	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p68	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp140	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -

[Reset Specimen 4727](#)   
 [Save Specimen 4727](#)

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) | 
 [Results and Reports](#) | 
 [Change ID](#) | 
 [Help](#) | 
 [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for HIV serology**

Distribution: **4395**

Dispatch date: **19-11-2018**

Return results: **10-12-2018**

Status: ✘ **NOT submitted**

Page: [Info](#) | [Methods](#) | [Spec:4727](#) | [Spec:4728](#) | [Spec:4729](#) | [Spec:4730](#) | [Spec:4731](#) | [Spec:4732](#) | [Final Page](#) | [Blank form](#)

<b>Specimen : 4728</b>	
HIV 1/2 Ag/Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV 1/2 Ag/Ab negative
HIV 1/2 Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 1	<input type="text"/>
HIV 1/2 Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 2	<input type="text"/>
HIV 1/2 Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 3	<input type="text"/>
HIV line assay/western-blot kit (First kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
HIV line assay/western-blot kit (Second kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
ENV gp36	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp41/45	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp105	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp120/110	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp160	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p17/18	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p24/25	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p26	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p53/55	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p31/32/34	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p51/52/66	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p68	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp140	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -

[Reset Specimen 4728](#) | [Save Specimen 4728](#)

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) | 
 [Results and Reports](#) | 
 [Change ID](#) | 
 [Help](#) | 
 [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for HIV serology**

Distribution: **4395**

Dispatch date: **19-11-2018**

Return results: **10-12-2018**

Status: ✘ **NOT submitted**

Page: [Info](#) | [Methods](#) | [Spec:4727](#) | [Spec:4728](#) | [Spec:4729](#) | [Spec:4730](#) | [Spec:4731](#) | [Spec:4732](#) | [Final Page](#) | [Blank form](#)

<b>Specimen : 4729</b>	
HIV 1/2 Ag/Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV 1/2 Ag/Ab negative
HIV 1/2 Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 1	<input type="text"/>
HIV 1/2 Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 2	<input type="text"/>
HIV 1/2 Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 3	<input type="text"/>
.	
HIV line assay/western-blot kit (First kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
HIV line assay/western-blot kit (Second kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
ENV gp36	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp41/45	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp105	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp120/110	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp160	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p17/18	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p24/25	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p26	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p53/55	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p31/32/34	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p51/52/66	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p68	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp140	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -

[Reset Specimen 4729](#) | [Save Specimen 4729](#)

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#)
[Results and Reports](#)
[Change ID](#)
[Help](#)
[PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for HIV serology**

Distribution: **4395**

Dispatch date: **19-11-2018**

Return results: **10-12-2018**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4727](#) [Spec:4728](#) [Spec:4729](#) [Spec:4730](#) [Spec:4731](#) [Spec:4732](#) [Final Page](#) [Blank form](#)

<b>Specimen : 4730</b>	
HIV 1/2 Ag/Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV 1/2 Ag/Ab negative
HIV 1/2 Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 1	<input type="text"/>
HIV 1/2 Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 2	<input type="text"/>
HIV 1/2 Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 3	<input type="text"/>
.	
HIV line assay/western-blot kit (First kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
HIV line assay/western-blot kit (Second kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
ENV gp36	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp41/45	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp105	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp120/110	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp160	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p17/18	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p24/25	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p26	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p53/55	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p31/32/34	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p51/52/66	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p68	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp140	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -

[Reset Specimen 4730](#)   [Save Specimen 4730](#)

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) | 
 [Results and Reports](#) | 
 [Change ID](#) | 
 [Help](#) | 
 [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for HIV serology**

Distribution: **4395**

Dispatch date: **19-11-2018**

Return results: **10-12-2018**

Status: ✘ **NOT submitted**

Page: [Info](#) | [Methods](#) | [Spec:4727](#) | [Spec:4728](#) | [Spec:4729](#) | [Spec:4730](#) | [Spec:4731](#) | [Spec:4732](#) | [Final Page](#) | [Blank form](#)

<b>Specimen : 4731</b>	
HIV 1/2 Ag/Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV 1/2 Ag/Ab negative
HIV 1/2 Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 1	<input type="text"/>
HIV 1/2 Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 2	<input type="text"/>
HIV 1/2 Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 3	<input type="text"/>
HIV line assay/western-blot kit (First kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
HIV line assay/western-blot kit (Second kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
ENV gp36	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp41/45	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp105	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp120/110	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp160	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p17/18	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p24/25	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p26	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p53/55	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p31/32/34	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p51/52/66	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p68	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp140	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -

[Reset Specimen 4731](#) | [Save Specimen 4731](#)

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) | 
 [Results and Reports](#) | 
 [Change ID](#) | 
 [Help](#) | 
 [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for HIV serology**

Distribution: **4395**

Dispatch date: **19-11-2018**

Return results: **10-12-2018**

Status: ✘ **NOT submitted**

Page: [Info](#) | [Methods](#) | [Spec:4727](#) | [Spec:4728](#) | [Spec:4729](#) | [Spec:4730](#) | [Spec:4731](#) | [Spec:4732](#) | [Final Page](#) | [Blank form](#)

<b>Specimen : 4732</b>	
HIV 1/2 Ag/Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV 1/2 Ag/Ab negative
HIV 1/2 Ag/Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 1	<input type="text"/>
HIV 1/2 Ag/Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 2	<input type="text"/>
HIV 1/2 Ag/Ab kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> HIV1/2 Ag/Ab positive <input type="radio"/> HIV1 Ag/Ab positive <input type="radio"/> HIV2 Ag/Ab positive <input type="radio"/> HIV1/2 Ag/Ab equivocal/indeterminate <input type="radio"/> HIV1/2 Ag/Ab negative
HIV 1/2 Ag/Ab Test Reading kit 3	<input type="text"/>
HIV line assay/western-blot kit (First kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
HIV line assay/western-blot kit (Second kit used)	<input checked="" type="radio"/> Not Examined <input type="radio"/> Anti-HIV1/2 positive <input type="radio"/> Anti-HIV1 positive <input type="radio"/> Anti-HIV2 positive <input type="radio"/> Anti-HIV1/2 equivocal/indeterminate <input type="radio"/> Anti-HIV negative
ENV gp36	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp41/45	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp105	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp120/110	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp160	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p17/18	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p24/25	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p26	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
GAG p53/55	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p31/32/34	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p51/52/66	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
POL p68	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -
ENV gp140	<input checked="" type="radio"/> Not Examined <input type="radio"/> + <input type="radio"/> +/- <input type="radio"/> -

[Reset Specimen 4732](#)

[Save Specimen 4732](#)