

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS Measles & Mumps IgG serology**

Distribution: **4363**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4630](#) [Spec:4631](#) [Spec:4632](#) [Spec:4633](#) [Final Page](#)

[Blank form](#)

	Specimen : 4630	
Measles IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Measles IgG positive <input type="radio"/> Measles IgG equivocal <input type="radio"/> Measles IgG negative	
Measles IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 1	<input type="text"/>	mIU/mL
Measles IgG test reading kit 1	<input type="text"/>	
Measles IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 2	<input type="text"/>	mIU/mL
Measles IgG test reading kit 2	<input type="text"/>	
Mumps IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Mumps IgG positive <input type="radio"/> Mumps IgG equivocal <input type="radio"/> Mumps IgG negative	
Mumps IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 1	<input type="text"/>	
Mumps IgG test reading kit 1	<input type="text"/>	
Mumps IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 2	<input type="text"/>	
Mumps IgG test reading kit 2	<input type="text"/>	

[Reset Specimen 4630](#)

[Save Specimen 4630](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS Measles & Mumps IgG serology**

Distribution: **4363**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4630](#) [Spec:4631](#) [Spec:4632](#) [Spec:4633](#) [Final Page](#)

[Blank form](#)

	Specimen : 4631	
Measles IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Measles IgG positive <input type="radio"/> Measles IgG equivocal <input type="radio"/> Measles IgG negative	
Measles IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 1	<input type="text"/>	mIU/mL
Measles IgG test reading kit 1	<input type="text"/>	
Measles IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 2	<input type="text"/>	mIU/mL
Measles IgG test reading kit 2	<input type="text"/>	
Mumps IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Mumps IgG positive <input type="radio"/> Mumps IgG equivocal <input type="radio"/> Mumps IgG negative	
Mumps IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 1	<input type="text"/>	
Mumps IgG test reading kit 1	<input type="text"/>	
Mumps IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 2	<input type="text"/>	
Mumps IgG test reading kit 2	<input type="text"/>	

[Reset Specimen 4631](#)

[Save Specimen 4631](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS Measles & Mumps IgG serology**

Distribution: **4363**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4630](#) [Spec:4631](#) [Spec:4632](#) [Spec:4633](#) [Final Page](#)

[Blank form](#)

	Specimen : 4632	
Measles IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Measles IgG positive <input type="radio"/> Measles IgG equivocal <input type="radio"/> Measles IgG negative	
Measles IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 1	<input type="text"/>	mIU/mL
Measles IgG test reading kit 1	<input type="text"/>	
Measles IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 2	<input type="text"/>	mIU/mL
Measles IgG test reading kit 2	<input type="text"/>	
Mumps IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Mumps IgG positive <input type="radio"/> Mumps IgG equivocal <input type="radio"/> Mumps IgG negative	
Mumps IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 1	<input type="text"/>	
Mumps IgG test reading kit 1	<input type="text"/>	
Mumps IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 2	<input type="text"/>	
Mumps IgG test reading kit 2	<input type="text"/>	

[Reset Specimen 4632](#)

[Save Specimen 4632](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS Measles & Mumps IgG serology**

Distribution: **4363**

Dispatch date: **24-09-2018**

Return results: **15-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4630](#) [Spec:4631](#) [Spec:4632](#) [Spec:4633](#) [Final Page](#)

[Blank form](#)

	Specimen : 4633	
Measles IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Measles IgG positive <input type="radio"/> Measles IgG equivocal <input type="radio"/> Measles IgG negative	
Measles IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 1	<input type="text"/>	mIU/mL
Measles IgG test reading kit 1	<input type="text"/>	
Measles IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result (mIU/mL) kit 2	<input type="text"/>	mIU/mL
Measles IgG test reading kit 2	<input type="text"/>	
Mumps IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Mumps IgG positive <input type="radio"/> Mumps IgG equivocal <input type="radio"/> Mumps IgG negative	
Mumps IgG kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 1	<input type="text"/>	
Mumps IgG test reading kit 1	<input type="text"/>	
Mumps IgG kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative	
Quantitative result kit 2	<input type="text"/>	
Mumps IgG test reading kit 2	<input type="text"/>	

[Reset Specimen 4633](#)

[Save Specimen 4633](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG