



## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for MRSA screening**

Distribution: **4377**

Dispatch date: **22-10-2018**

Return results: **12-11-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4670](#) [Spec:4671](#) [Final Page](#) [Blank form](#)

Nasal swab: Request MRSA screen

	<b>Specimen : 4670</b>
Culture result	<input checked="" type="radio"/> Not Examined <input type="radio"/> MRSA detected <input type="radio"/> MRSA not detected
Colony count	<input checked="" type="radio"/> Not Examined <input type="radio"/> 1 - 10 (-/+ ) <input type="radio"/> 11 - 50 (+) <input type="radio"/> 51 - 100 (++) <input type="radio"/> > 100 (+++)
Molecular result	<input checked="" type="radio"/> Not Examined <input type="radio"/> MRSA detected <input type="radio"/> MRSA not detected <input type="radio"/> Invalid: request repeat

[Reset Specimen 4670](#) [Save Specimen 4670](#)

Operated by Public Health England  
NIS - Specialist Microbiology Services  
133-155 Waterloo Road  
Wellington House  
London SE1 8UG



## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for MRSA screening**

Distribution: **4377**

Dispatch date: **22-10-2018**

Return results: **12-11-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4670](#) [Spec:4671](#) [Final Page](#) [Blank form](#)

Nasal swab: Request MRSA screen

	<b>Specimen : 4671</b>
Culture result	<input checked="" type="radio"/> Not Examined <input type="radio"/> MRSA detected <input type="radio"/> MRSA not detected
Colony count	<input checked="" type="radio"/> Not Examined <input type="radio"/> 1 - 10 (-/+ ) <input type="radio"/> 11 - 50 (+) <input type="radio"/> 51 - 100 (++) <input type="radio"/> > 100 (+++)
Molecular result	<input checked="" type="radio"/> Not Examined <input type="radio"/> MRSA detected <input type="radio"/> MRSA not detected <input type="radio"/> Invalid: request repeat

[Reset Specimen 4671](#) [Save Specimen 4671](#)

Operated by Public Health England  
NIS - Specialist Microbiology Services  
133-155 Waterloo Road  
Wellington House  
London SE1 8UG