

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **4333**

Dispatch date: **30-07-2018**

Return results: **20-08-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4544](#) [Spec:4545](#) [Spec:4546](#) [Spec:4547](#) [Spec:4548](#) [Spec:4549](#) [Final Page](#)

[Blank form](#)

	Specimen : 4544
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive

[Reset Specimen 4544](#)

[Save Specimen 4544](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **4333**

Dispatch date: **30-07-2018**

Return results: **20-08-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4544](#) [Spec:4545](#) [Spec:4546](#) [Spec:4547](#) [Spec:4548](#) [Spec:4549](#) [Final Page](#)

[Blank form](#)

	Specimen : 4545
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive

[Reset Specimen 4545](#)

[Save Specimen 4545](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **4333**

Dispatch date: **30-07-2018**

Return results: **20-08-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4544](#) [Spec:4545](#) [Spec:4546](#) [Spec:4547](#) [Spec:4548](#) [Spec:4549](#) [Final Page](#)

[Blank form](#)

	Specimen : 4546
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive

[Reset Specimen 4546](#)

[Save Specimen 4546](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **4333**

Dispatch date: **30-07-2018**

Return results: **20-08-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4544](#) [Spec:4545](#) [Spec:4546](#) [Spec:4547](#) [Spec:4548](#) [Spec:4549](#) [Final Page](#)

[Blank form](#)

	Specimen : 4547
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive

[Reset Specimen 4547](#)

[Save Specimen 4547](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **4333**

Dispatch date: **30-07-2018**

Return results: **20-08-2018**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4544](#) [Spec:4545](#) [Spec:4546](#) [Spec:4547](#) [Spec:4548](#) [Spec:4549](#) [Final Page](#)

[Blank form](#)

	Specimen : 4548
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive

[Reset Specimen 4548](#)

[Save Specimen 4548](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **4333**

Dispatch date: **30-07-2018**

Return results: **20-08-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4544](#) [Spec:4545](#) [Spec:4546](#) [Spec:4547](#) [Spec:4548](#) [Spec:4549](#) [Final Page](#)

[Blank form](#)

	Specimen : 4549
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive

[Reset Specimen 4549](#)

[Save Specimen 4549](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG