

# UK NEQAS

## United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Urinary antigens**

Distribution: **4366**

Dispatch date: **24-09-2018**

Return results: **08-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4639](#) [Spec:4640](#) [Spec:4641](#) [Final Page](#) [Blank form](#)

Urine: Screen for *Legionella pneumophila* urinary antigen

	<b>Specimen : 4639</b>
Test Reading Kit A	<input type="text"/>
Test Reading Kit B	<input type="text"/>
Legionella Kit A	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Legionella Kit B	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Negative

[Reset Specimen 4639](#)

[Save Specimen 4639](#)

Operated by Public Health England  
NIS Specialist Microbiology Services  
133-155 Waterloo Road  
Wellington House  
London SE1 8UG

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Urinary antigens**

Distribution: **4366**

Dispatch date: **24-09-2018**

Return results: **08-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4639](#) [Spec:4640](#) [Spec:4641](#) [Final Page](#)

[Blank form](#)

Urine: Screen for *Legionella pneumophila* urinary antigen

	<b>Specimen : 4640</b>
Test Reading Kit A	<input type="text"/>
Test Reading Kit B	<input type="text"/>
Legionella Kit A	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Legionella Kit B	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Negative

[Reset Specimen 4640](#)

[Save Specimen 4640](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Urinary antigens**

Distribution: **4366**

Dispatch date: **24-09-2018**

Return results: **08-10-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4639](#) [Spec:4640](#) [Spec:4641](#) [Final Page](#)

[Blank form](#)

Urine: Screen for *Streptococcus pneumoniae* (pneumococcal) urinary antigen

	<b>Specimen : 4641</b>
Test Reading Kit A	<input type="text"/>
Test Reading Kit B	<input type="text"/>
Pneumococcal Kit A	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Pneumococcal Kit B	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Negative

[Reset Specimen 4641](#)

[Save Specimen 4641](#)