

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Molecular detection of HEV RNA**

Distribution: **4385**

Dispatch date: **22-10-2018**

Return results: **12-11-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4697](#) [Spec:4698](#) [Final Page](#) [Blank form](#)

	Specimen : 4697
HEV RNA Result Method 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Detected <input type="radio"/> Not detected
HEV RNA Test Reading Method 1	<input type="text"/>
HEV RNA Result Method 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Detected <input type="radio"/> Not detected
HEV RNA Test Reading Method 2	<input type="text"/>
HEV RNA Overall Test Result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Detected <input type="radio"/> Not detected

[Reset Specimen 4697](#)

[Save Specimen 4697](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Molecular detection of HEV RNA**

Distribution: **4385**

Dispatch date: **22-10-2018**

Return results: **12-11-2018**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:4697](#) [Spec:4698](#) [Final Page](#) [Blank form](#)

	Specimen : 4698
HEV RNA Result Method 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Detected <input type="radio"/> Not detected
HEV RNA Test Reading Method 1	<input type="text"/>
HEV RNA Result Method 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Detected <input type="radio"/> Not detected
HEV RNA Test Reading Method 2	<input type="text"/>
HEV RNA Overall Test Result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Detected <input type="radio"/> Not detected

[Reset Specimen 4698](#)

[Save Specimen 4698](#)

Operated by Public Health England
NIS - Specialist Microbiology Services
133-155 Waterloo Road
Wellington House
London SE1 8UG